



**CERTIFICATE OF ANALYSIS**

Product Name : Condensat  
Batch No. : 300118  
Formula : Unspecified  
Cas No : Not data available  
Date Of Analysis : Okt 30,2020

NO.	ITEM TEST	UNITS	METHOD	SPECIFICATION	RESULT
1.	Appearance	–	Visual	Clear Colourless Liquid with a characteristic odor	Clear Colourless Liquid with a characteristic odor
2.	Colour	Hazen	ASTM D-1209	max 30	< 10
3.	Specific Gravity at 20 °C	–	ASTM D-891	0.635 – 0.718	0.662
4.	Purity (∑ HC aliphatic, Naphtenic and aromatic )	wt %	GC	Passes test	Passes test
5.	Water Content	wt %	By KF	max 0.03	0.0236
6.	Acidity ( as CH <sub>3</sub> COOH)	wt %	ACS METHOD	passes test	Passes test
7.	Non-volatile matter	wt %	ASTM D-1353	max 0.001	0.0007
8.	Boiling Range	°C	ASTM D-1078		
	Initial Boiling Point (IBP)			min 35	35.0
	Dry Point (DP)			max 150	136.5

Remark:  
This certificate refers to COA maker/ supplier and the tested sample only

PT. Pancasakti Putra Kencana



SUDIRO S.Si.  
Quality Control