



CERTIFICATE OF ANALYSIS

Product Name : MALTODEXTRIN DE 10-15
Batch No. : G2014-02-11/04
Formula : $C_{6n}H_{(10n+2)}O_{(5n+1)}$
Cas No : 9050-36-6
Date Of Analysis : Okt 11,,2020

NO.	ITEM TEST	UNITS	SPECIFICATION	RESULT
1.	Appearance	-	Fine, white, free flowing powder, free from lumps and foreign matter	Conform
2.	Odour	-	Typical maltodextrin smell, neutral, no off-flavor	Conform
3.	DE	%	10 - 15	11.0
4.	Moisture	%	max 6.0	4.7
5.	Solubility	%	min 98.0	99.0
6.	pH	-	4.5 - 6.5	5.1
7.	Sulphated ash	%	max 0.6	0.1
8.	Arsenic (As)	mg/kg	max 1.0	< 0.5
9.	Pb	mg/kg	max 0.5	< 0.2
10.	Total Plate Count	cfu/g	max 3000	< 100
11.	E.Coli	MPN/100g	max 30	< 30
12.	Salmonella	-	None	None

Remark:
Test Method : GB/I20884-2007

This certificate refers to COA Maker

PT. Pancasakti Putra Kencana



SUDIRO S.Si.
Quality Control